Revision: 08.06.2020

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.09.2020 Version number 20

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: SK 258 TIC-O

· CAS Number: -

· EINECS Number: -

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Flux cored wire

The product is a manufactured article in the sense of Article 3 No. 3, 1907/2006/EC (REACh). The purpose of the present safety data sheet is therefore to provide instruction on safe usage of the product.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

voestalpine Böhler Welding Belgium s.a.

Rue de l'Yser, 2 B-7180 SENEFFE

Tel.: +32 (0) 64 52 00 06 Fax.: +32 (0) 64 52 00 01

www.voestalpine.com/welding

· Further information obtainable from:

Global R&D Maintenance & Cladding

Mathieu Decherf T. +32 64 52 00 48 mathieu.decherf@voestalpine.com

· 1.4 Emergency telephone number:

NCEC

+44 1235 239670

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The Product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)

Page 2/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.09.2020 Version number 20 Revision: 08.06.2020

Trade name: SK 258 TIC-O

· vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description**: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:					
CAS: 7440-32-6 EINECS: 231-142-3 Reg.nr.: 01-2119484878-14-XXXX	titanium Pyr. Sol. 1, H250; Self-heat. 1, H251; Water-react. 1, H260	5-12.5%			
CAS: 7440-47-3 EINECS: 231-157-5 Reg.nr.: 01-2119485652-31-XXXX	chromium substance with a Community workplace exposure limit	2.5-5%			

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · Description of first aid measures
- · General information: Seek medical treatment.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Seek medical treatment.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters

For deletion of fire just use dry powders. Don't use any water or halogenated containing extinguishing agents

· Protective equipment: Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Page 3/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.09.2020 Version number 20 Revision: 08.06.2020

Trade name: SK 258 TIC-O

See Section 13 for disposal information.

(Contd. of page 2)

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure that suitable extractors are available on processing machines
- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Prevent any seepage into the ground.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

7440-47-3 chromium

IOELV Long-term value: 2 mg/m³ as Cr

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Filter P2
- · Protection of hands:

EN 12477

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Material of gloves Leather gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses
- · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Solid
Colour: Grey
Odour: Odourless
Odour threshold: Not determined.

· **pH-value:** Not applicable.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.09.2020 Version number 20 Revision: 08.06.2020

Trade name: SK 258 TIC-O

	(Contd. of page
· Flash point:	Not applicable.
· Flammability (solid, gas):	Contact with water liberates extremely flammable gases.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not applicable.
Evaporation rate	Not applicable.
· water:	Insoluble.
· Partition coefficient: n-octano	I/water: Not determined.
· Dynamic:	Not applicable.
· Kinematic:	Not applicable.
· Solids content:	92.4 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Contact with water releases flammable gases.

Attacks materials containing glass and silicate.

- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 5)

Page 5/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.09.2020 Version number 20 Revision: 08.06.2020

Trade name: SK 258 TIC-O

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. of page 4)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Must be specially treated adhering to official regulations.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	Void
ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	-
	Void

EU

Page 6/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.09.2020 Version number 20 Revision: 08.06.2020

Trade name: SK 258 TIC-O

(Contd. of page 5)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Additional information:

Recommendations for exposure scenarios, measures for risk management and identification of working conditions under which metals, metal alloys and products made of metal can be safely worked can be found attached. Detailed information can be found on our webpage www.voestalpine.com (Environment, REACH at voestalpine). (Contd. on page 7)

Page 7/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.09.2020 Version number 20 Revision: 08.06.2020

Trade name: SK 258 TIC-O

(Contd. of page 6)

Welding Exposure Scenario WES - ENGL

Recommendations for Exposure Scenarios, Risk Management Measures and to identify Operational

Conditions under which metals, alloys and metallic articles may be safely welded

Welding/Brazing produces fumes which can affect human health and the environment. Fumes are a varying mixture of airborne gases and fine particles which, if inhaled or swallowed, constitute a health hazard. The degree of risk will depend on the composition of the fume concentration of the fume and duration of exposure. The fume composition is dependent upon the material being worked, the process and consumables being used, coatings on the work such as paint, galvanizing or plating, oil or contaminants from cleaning and degreasing activities. A systematic approach to the assessment of exposure is necessary, taking into account the particular circumstances for the operator and ancillary worker that can be exposed.

Considering the emission of fumes when welding, brazing or cutting of metals, it is recommended to (1) arrange risk management measures through applying general information and guidelines provided by this exposure scenario and (2) using the information provided by the Safety Data Sheet, issued in accordance with REACH, by the welding consumable manufacturer.

The employer shall ensure that the risk from welding fumes to the safety and health of workers is eliminated or reduced to a minimum. The following principle shall be applied:

1- Select the applicable process/material combinations with the lowest class, whenever possible.

2- Set welding process with the lowest emission parameter.

3- Apply the relevant collective protective measure in accordance with class number. In general, the use of PPE is taken into account after all other measures is applied.

4- Wear the relevant personal protective equipment in accordance with the duty cycle.

In addition, compliance with the National Regulations regarding the exposure to welding fumes of welders and related personnel shall be verified.

In the table "Risk Management Measures for individual process / material combinations" below, reference is made to the following standards

EN ISO 15012-1:2004

Neasures:
Welding process Reference Numbers according to ISO 4063
Health and safety in welding and allied processes - Requirements testing and marking of equipment or air filtration - Part 1: Testing of the separations efficiency for welding fume Health and safety in welding and allied processes - Requirements, testing and marking of equipment for air filtration - Part 2: Determination of the minimum air volume flow rate of captor hoods and

EN ISO 15012-2:2008

FN 149:2001

EN 1835:2000

nozzles
Respiratory protective devices - Filtering half masks to protect against particles - Requirements, testing, marking (FFP1 - FFP2 - FFP3)
Respiratory protective devices. Light duty construction compressed air line breathing apparatus incorporating a helmet or a hood. Requirements, testing, marking (LDH1 - LDH2 - LDH3).
Respiratory protective devices. Powered filtering devices incorporating a helmet or a hood.
Requirements, testing, marking (TH1 - TH2 - TH3).
Respiratory protective devices — Particle filters — Requirements, testing, marking (P1, P2, P3)
Article 6.2 on the protection of the health and safety of workers from the risks related to chemical agents at work

EN 143:2000

Directive 1998/24/EC

Article 0.2 of the protection of the result and salety of workers from the insist related to chemical agents at work Benutzung von Alemschutzgeräten (Berufsgenossenschaftliche Regel für Sicherheit und Gesundheit bei der Arbeit

Schweisstechnische Arbeiten (Technische Regeln für Gefahrstoffe)

Also in the table "Risk Management Measures for individual process / material combinations", reference is made to footnotes

The description of these footnotes:

- e description of these footnotes:

 Class: approximate ranking to mitigate risk by selecting process/material combinations with the lowest value.

 Identified collective and individual risk management measures shall be applied

 Personal Protective Equipment (PPE) required avoiding exceeding the National Exposure Limit Value (DC: Duty cycle expressed on 8
- hours)
 General Ventilation (GV) Low. With additional Local Exhaust Ventilation (LEV) and extracted air to the outside, the GV or LEV capacity
- may be reduced to 1/5 of the original requirement. General Ventilation (GV) Medium (double compared to Low)
- Filtrating half mask (FFP2)

- When an alloyed consumable is used, measures from "Class V" are required
 General Ventilation (GV) Low. When no Local Exhaust Ventilation, the ventilation requirement is 5-fold
 Filtrating half mask (FFP3), helmet with powered filters (Hz/P2), or helmet with power filters (Hz/P2), or helmet with external air supply (LDH2)
 Reduced (negative) pressured Area: A separate, ventilated area where reduced (negative) pressure, compared to the surrounded area, is

- Reduced (negative) pressured Area: A separate, ventilated area where reduced (negative) pressure, compared to the surrounded area, is maintained Local Exhaust Ventilation (LEV) High, extraction at source (includes table, hood, arm or forch extraction) Helmet with powered filters (TH3/P3), or helmet with external air supply (LDH3) Local Exhaust Ventilation (LEV) Low, extraction at source (includes table, hood, arm or forch extraction) Local Exhaust Ventilation (LEV) Medium, extraction at source (includes table, hood, arm or forch extraction) Recommended measures to comply with national maximum allowable limits. Extracted furnes, for all materials except unalloyed steel and aluminium, shall be filtered before release in the outside environment. A confined space, despite its name, is not necessarily small. Examples of confined spaces include ship, silos, vats, utility vaults, tanks, etc. Improved helmet, designed to avoid direct flow of welding furnes inside

- Not applicable Not recommended

(Contd. on page 8)

Page 8/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.09.2020 Revision: 08.06.2020 Version number 20

Trade name: SK 258 TIC-O

(Contd. of page 7)

Welding Exposure Scenario WES - ENGL

EWA2011

Risk Management Measures for individual process I base material combinations

Graw	Class1	Process	Base	Remarks	Ventilation /	PPE ²	PPE ²
Non-confined space Non-con	-1400				Extraction / Filtration ¹⁴		DC>15%
STAW		(2222.2		Non-confined sp	ace ¹⁵		1
Autogeneous 3 All	- 1	GTAW 141					
PAW Foundary Paw		SAW 12	1				
ESW/EGW 72/73 Resistance 2 Stud welding 78 Solid state 521 Sud welding 78 Solid state 521 Sulf welding 78		Autogeneous 3	All	Except Aluminium	GV low ³	n.r.	n.r.
Resistance 2 Stud welding 78 Solid state 521 Stud welding 78 Solid state 521 Solid state 522 Solid state 521 Solid s							
Resistance 2 Stud welding 78 Solid state 521		ESW/EGW 72/73	i				
Stud welding 78 Solid state 527 Gases Brazing 9 All Except Cd- alloys GV low N.r. n.r. n.r. n.r. GV medium N.a.			1				
Solid state 521			i				
Gases Brazing 9 All Except Cd- alloys GV low? n.r. n.r. n.r.			i				
III GTAW			All	Except Cd- allovs	GV low ³	n.r.	n.r.
Ni- alloys and Stainless S	II.		Aluminium		GV medium⁴	n.a.	FFP2 ⁵
Ni- alloys and Stainless S	III						
Stainless Stainless GV Ow CV FFP2 FFP							
Ni- alloys Second Cu-, be-, V- alloys Except Be-, V-, Cu-, Mr., Ni-alloys and Stainless Except Be-, V-, Cu-, Mr., Ni-alloys and Stainless First Part First Pa				Stainless ⁶	GV low ⁷	Improved	FFP2 ⁵
Ni- alloys Second Cu-, Be-, V- alloys Except Be-, V-, Cu-, Mr., Ni-alloys and Stainless Except Be-, V-, Cu-, Mr., Ni-alloys and Stainless Painted / primed / oiled Painted / Paint		FCAW 136/137	All	Except Stainless and	LEV low12	helmet16	
Powder Plasma Arc 152 All Except Be-, V. Cu-, Mn-, Ni-alloys and Stainless Stain		1		Ni- alloys 6			1
Powder Plasma Arc 152 All		GMAW 131/135	All				1
Minches Minc							
Stainless Stai		Powder Plasma Arc 152	All	Except Be-, V-, Cu-,			
All processes class Painted / primed / oiled primed / primed				Mn-, Ni-alloys and			
Painted / Pain							
All processes class Painted / primed / oiled primed primed primed	IV	All processes class I			GV low ³		FFP3,
V MMAW 111 Stainless, Ni-, Be, and V- alloys FCAW 136/137 Stainless, Mn- and Ni- alloys GMAW 131 Cu-alloys Powder Plasma Arc 152 Stainless, Mr. Ni-, and Cu- alloys Powder Plasma Arc 152 Stainless, Mr. Ni-, and Cu- alloys Powder Plasma Arc 152 Stainless, Mr. Ni-, and Cu- alloys Powder Plasma Arc 152 Stainless, Mr. Ni-, and Cu- alloys Powder Plasma Arc 152 Stainless, Mr. Ni-, and Cu- alloys In a. Reduced (negative) pressured area In						FFP2°	TH2/P2,
V MMAW		All processes class III			GV low '		or LDH28
Be. and V. alloys FCAW 136/137 Stainless, Mn- and Ni- alloys Powder Plasma Arc 152 Stainless, Mn-, Ni-, and Cu- alloys Powder Plasma Arc 152 Stainless, Mn-, Ni-, and Cu- alloys Powder Plasma Arc 152 Stainless, Mn-, Ni-, and Cu- alloys Powder Plasma Arc 152 Steff shielded FCAW 114 Un-, high alloys Self shielded FCAW 114 Un-, high alloys dated Self shielded FCAW 114 Painted / P					LEV low12		
Self shielded FCAW 114 Un-, high alloyed steel Self	V	MMAW 111		n.a.	LEV high ¹⁰	TH3/P3,	TH3/P3,
FCAW 136/137 Stainless, Mn- and Ni- alloys						LDH3"	LDH3 ¹¹
Mn- and Ni- alloys GMAW 131 Cu-alloys Stainless, Mn-, Ni-, and Cu-alloys Stainless, Mn-, Ni-, and Cu-alloys Mn-, Ni-, and Mn-, and							
Self shielded FCAW 114 Descripting All Painted / Pointed Painted P		FCAW 136/13/					
GMAW							
Powder Plasma Arc 152							
Mn-, Ni-, and Cu- alloys							
Cu - alloys		Powder Plasma Arc 152					
VI GMAW 131 Be., and V n.a. Reduced (negative) pressured area TH3/P3, alloys TH LDI							
Powder Plasma Arc 152 Un-, high Cored wire, not alloyed steel Containing Ba LeV low ^{1/2} Reduced (regative) pressured area LeV medium 19 Lev high Lev high 19 Lev hi	1//	CMANA/ 121			Barband (namethia) managed avan 9	TU2/D2	TH3/P3,
VII Self shielded FCAW 114 Un-, high alloyed steel Containing Ba LEV medium 13 LEV medium 14 LEV high 15 LEV h	VI			III.a.	I EV low 12		LDH3 ¹¹
All						LDITO	LDITO
Self shielded FCAW 114	VII	Self shielded FCAW 114			Reduced (negative) pressured area		
All Painted						4	T. 10 /D0
All		Self shielded FCAW 114			Reduced (negative) pressured area	1H3/P3,	TH3/P3, LDH3 ¹¹
Primed Containing Pb Arc Gouging and Cutting 8 Thermal Spray All n.a.					LEV nigh"	LDH3	LDH3
Arc Gouging and Cutting		All				1	
Cutting		A C					1
Thermal Spray			All	n.a.			1
Gases Brazing 9 Cd- alloys n.a.			l au	 			
Closed system or Confined space 5 Laser Welding 52						1	
I Laser Welding 52 All Closed system GV medium ⁴ n.a. n.a Electron Beam 51		Gases brazing 9			nod on one 15	1	1
Laser Cutting 84 Electron Beam 51		LL coor Wolding 50				Inc	Inc
Electron Beam 51	1		l All	Ciosea system	Gv medium	II.a.	III.a.
			-			1	
VIII AII Contined space LEV night External air supply LDH3** LDI	7/111		All	Confined once	LEV/high ¹⁰ External air aug-t-	I DUS ¹¹	LDH3 ¹¹
	VIII	[~"	l 📶	Commed space	LEV mgn External air supply	LDH3	LUHS

· Relevant phrases

H250 Catches fire spontaneously if exposed to air.

H251 Self-heating: may catch fire.

H260 In contact with water releases flammable gases which may ignite spontaneously.

- · Department issuing SDS: R&D
- · Contact: Nicolas Turomsza
- · Abbreviations and acronyms:

NCEC - National Chemical Emergency Centre (=Carechem24)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)

Page 9/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.09.2020 Revision: 08.06.2020 Version number 20

Trade name: SK 258 TIC-O

(Contd. of page 8)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)
PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Pyr. Sol. 1: Pyrophoric solids – Category 1
Self-heat. 1: Self-heating substances and mixtures – Category 1
Water-react. 1: Substances and mixtures which in contact with water emit flammable gases – Category 1

· * Data compared to the previous version altered.